

CORRECTION

Open Access

Correction to: Applied comparison of large-scale propensity score matching and cardinality matching for causal inference in observational research



Stephen P. Fortin^{1*}, Stephen S. Johnston² and Martijn J. Schuemie¹

Correction to: BMC Med Res Methodol 21, 109 (2021)
<https://doi.org/10.1186/s12874-021-01282-1>

Following publication of the original article [1], the authors noticed an error in Fig. 2, and some cropping of the text in Fig. 3. Presented here are the updated Figs. 2 and 3. The original article has been updated.

The original article can be found online at <https://doi.org/10.1186/s12874-021-01282-1>.

* Correspondence: stephenfortin12@gmail.com

¹Janssen R&D, LLC, Raritan, NJ, USA

Full list of author information is available at the end of the article



© The Author(s). 2021 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 2 Matching covariate standardized mean differences after large-scale propensity score matching (PSM) and cardinality matching (CM). Fine balance: exact marginal distributional balance. Violin plots illustrate kernel probability density; the width of the shaded area represents the proportion of observations with the corresponding y-axis value




Fig. 3 Candidate covariate standardized mean differences after large-scale propensity score matching (PSM) and cardinality matching (CM). Fine balance: exact marginal distributional balance. Violin plots illustrate kernel probability density; the width of the shaded area represents the proportion of observations with the corresponding y-axis value

Author details

¹Janssen R&D, LLC, Raritan, NJ, USA. ²Johnson & Johnson, New Brunswick, NJ, USA.

Published online: 21 August 2021

Reference

- Fortin SP, Johnston SS, Schuemie MJ. Applied comparison of large-scale propensity score matching and cardinality matching for causal inference in observational research. BMC Med Res Methodol. 2021;21(1):109. <https://doi.org/10.1186/s12874-021-01282-1>.